
Chlamydia - Positivity among 15-24 year old women tested family planning clinics by state, 1997




Note: States reported chlamydia positivity data on at least 500 women ages 15-24 years screened from January- December 1997 except for: Rhode Island - no chlamydia positivity data reported (NR); Puerto Rico - chlamydia positivity data reported for August-December only; and North Carolina - chlamydia positivity data reported for January-April only.

Puerto Rico 8.3

Source: Regional Infertility Prevention Programs; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention



Chlamydia - Rates by state: United States and outlying areas, 1997




Puerto Rico 57.1 Virgin Is. 12.6

*New York City's rate was 385.7 per 100,000 population. No cases were reported outside of New York City.

Note: The total rate of chlamydia for the United States and outlying areas (including Guam, Puerto Rico and Virgin Islands) was 204.7 per 100,000 population.



Chlamydia - Rates for women by state: United States and outlying areas, 1997




*New York City's rate was 659.1 per 100,000 population. No cases were reported outside of New York City.

Note: The total rate of chlamydia for women in the United States and outlying areas (including Guam, Puerto Rico, and Virgin Islands) was 332.1 per 100,000 population.



Chlamydia - Prevalence among 16-24 year-old women entering the U.S. Job Corps by state of residence, 1997



*Fewer than 100 women residing in these states and entering the Job Corps were screened for chlamydia in 1997.

Note: The overall chlamydia prevalence among female students entering the U.S Job Corps was 10.4%. The Healthy People year 2000 objective for chlamydia prevalence among women under 25 years of age is 5.0%.

Source: U.S. Department of Labor.



Chlamydia - Trends in positivity among 15-44 year old women tested in family planning clinics by HHS regions

